



Wet-Dry Vacuums

V-WD-9 | V-WD-24 | V-WD-24P

Reliable in a variety of conditions and applications, Tennant Wet-Dry vacuums are designed to help make clean up easy.

- Made for use in dry, wet, or even flooded conditions
- Convenient design makes it easy to move and empty the vacuums
- Rugged design helps ensure long useful life

Wet-Dry Vacuums

The wet-dry vacuum range is designed for cleaning specialists, such as contract cleaners, cleaning companies and schools, to help ensure high productivity and cost savings.

Maneuverable and durable, Tennant wet dry vacuums are available in three models, which all offer:



Efficient and ergonomic design, tailored to help users work without undue strain.



Innovative head gasket provides a strong seal even when vacuuming oily or chemical residues. No loss of airflow during suction.



Shock-proof tank and strong, flexible hooks make the vacuums reliable even with rugged use.

V-WD-9 Wet-Dry Vacuum

Compact and convenient wet-dry vacuum is maneuverable and easy to use.

- Durable construction helps make machine reliable even in heavy use
- 2-stage motor provides good water lift
- Handy carrying handle and six swivel wheels allow for easy maneuvering
- Flexible hose locks securely for ease of use





V-WD-24/24P Wet-Dry Vacuum

Large volume tanks and strong motors help with managing large cleaning tasks or flooded conditions.

- Robust, lightweight handle along with 2 rear wheels and 2 front swivel wheels allow for easy maneuvering
- Flexible hose locks securely and reliably
- Multiple configurations to suit cleaning needs - standard or flood pump models with optional front mount squeegee and accessories
- Achieve greater efficiency and prevent damage to the machine with large 24 gallon durable polyethylene tank

Tennant Wet-Dry Vacuums **Technical Specifications**



SPECIFICATION	V-WD-9	V-WD-24	V-WD-24P
Airflow rate	118 CFM (200 m³/h)	118 CFM (200 m³/h)	118 CFM (200 m³/h)
Max power	1200 w	1200 w	1200 w
Dimensions (LxWxH)	15.5 x 16 x 25 in (395 x 405 x 640)	23 x 18 x 36 in (595 x 460 x 910 mm)	23 x 18 x 36 in (595 x 460 x 910 mm)
Weight	22 lb (10 kg)	42lb (19 kg)	49 lb (22 kg)
Sound pressure	72 dBA	70 dBA	70 dBA
Power cord length	28 ft (8.5 m)	40 ft (12 m)	40 ft (12 m)
Water lift	100 in (2530 mm)	100 in (2530 mm)	100 in (2530 mm)
Tank capacity/gross volume	9 gal (35 L)	24 gal (90 L)	22.7 gal (86 L)
Tank capacity/water volume	6.6 gal (25 L)	15.59 gal (59 L)	14.5 gal (55 L)
Configuration	8 ft (2.5 m) vacuum hose, a 28 ft (8.5 m) power cord, 2 piece aluminum/plastic wand, wand with air flow regulator, paper bag, dust floor tool, wet floor tool, flat lance, round brush and adapter.	16 ft (5 m) vacuum hose, a 40 ft (12 m) power cord, 2 piece aluminum/plastic wand, wand with air flow regulator, cloth filter, paper bag, dust floor tool, wet floor tool, flat lance, round brush and adapter.	16 ft (5 m) vacuum hose, a 40 ft (12 m) power cord, 2 piece aluminum/plastic wand, wand with air flow regulator and wet floor tool.
Options	Upstream HEPA cartridge, carpet tool and package of 10 paper bags or 10 microfiber fleece bags	Front mount squeegee kit, carpet brush tool, upstream HEPA filter and package of 10 paper bags or 10 microfiber fleece bags	Front mount squeegee kit, dual filtration system (needed for dry mode), dust floor tool, flat lance, round brush and adapter.

Tennant—Reinvent how the world cleans

With a vision to become a global leader in sustainable cleaning innovation that empowers our customers to create a cleaner, safer and healthier world, Tennant creates solutions that are changing the way the world cleans.



We are where you are

Tennant has the industry's largest direct sales and service organization and a well-supported network of authorized distributors worldwide.



Solutions for your unique needs

Whatever your cleaning needs, Tennant offers a variety of high quality equipment to help you increase your cleaning productivity.



Buying, leasing, renting

We offer flexible options to get you the machines you need, however you need them.



TennantTrue®

Optimize equipment performance and protect your investment with TennantTrue® parts and service.

For a demonstration or additional information, call **+1.800.553.8033** or email **info@tennantco.com**

Tennant

701 North Lilac Drive
Minneapolis, MN 55422 USA

USA/Canada: +1.800.553.8033

Quebec: +1.800.361.9050

Overseas: +1.763.540.1315

www.tennantco.com | info@tennantco.com